Note: This datasheet may be out of date

 $\underline{ Please \ download \ the \ latest \ data sheet \ of \ PLY17BN9612R0A2B \ from \ the \ of \ icial \ website \ of \ Murata \ Manufacturing} }$

Co., Ltd. http://www.murata.com/en-us/products/productdetail?partno=PLY17BN9612R0A2B

PLY17BN9612R0A2B










Appearance & Shape





(in mm)



Packaging Information

| Packaging | Specifications | Minimum Order Quantity |
|-----------|----------------|---------------------------|
| - | Вох | 1080 |

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date

 $\underline{ Please \ download \ the \ latest \ data sheet \ of \ PLY17BN9612R0A2B \ from \ the \ of \ icial \ website \ of \ Murata \ Manufacturing} }$

Co., Ltd. http://www.murata.com/en-us/products/productdetail?partno=PLY17BN9612R0A2B

PLY17BN9612R0A2B



| Common Mode Inductance(min.) | 0.96mH | |
|--|---|--|
| Nomal Mode Inductance(min.) | 36µН | |
| DC Resistance(max.) | 110Ω | |
| Rated Current | 2A | |
| Length | 24.5mm ±0.5 | |
| Width | 22.5mm ±0.5 | |
| Thickness | 12.5mm ±0.5 | |
| Operating Temperature Range | -25°C to 60°C | |
| Winding Temperature Rise(at Rated Current)(max.) | 60°C | |
| Rated Voltage | 300Vac | |
| Insulation Resistance(min.) | 10ΜΩ | |
| Withstanding Voltage | 1600V(AC)(1minute) or 2000V(AC)(2second) | |
| Mass(typ.) | 11.2g | |
| Winding Mode | Parallel Winding | |

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: http://www.murata.com/


Note: This datasheet may be out of date


 $\underline{ \text{Please download the latest datasheet of PLY17BN9612R0A2B from the official website of Murata Manufacturing} \\$

http://www.murata.com/en-us/products/productdetail?partno=PLY17BN9612R0A2B

PLY17BN9612R0A2B







Common Mode Insertion Loss-Frequency Characteristics

Differential Mode Insertion Loss-Frequency Characteristics

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: http://www.murata.com/